





DORA @ PLANT ONE

The problem:


Solvent degradation

Corrosion

Emissions

- (a) EnBW's pilot campaign;
- (b) TNO's pilot campaign;
- (c) CSIRO's Loy Yang Campaign; and
- (d) Esbjerg pilot campaign

S. Dhingra *et al.*, "Understanding and Modelling the Effect of Dissolved Metals on Solvent Degradation in Post Combustion CO2 Capture Based on Pilot Plant Experience," *Energies*, vol. 10, no. 5, p. 629, May 2017.








DORA @ PLANT ONE

Dissolved Oxygen Removal Apparatus

Goals:


- Reduced solvent losses
- Lower emissions
- Reduced waste
- \rightarrow Lower CO₂ capture cost






PLANT

CURRENT STATUS OF DORA: TRL4










SAMPLE RESULTS




5 | DORA @ Plant One 04 December 2018



PLANT

EXPECTED IMPACT



$$-r_{MEA} \propto [O_2]^{1,46}$$

Leonard, G.; Toye, D.; Heyen, G. Expermiental study and kinetic model of monoethanolamine oxidative and thermal degradation for post combustion CO2 capture. Int. J. Greenh. Gas Control 2014, 30, 171–178.





4 WORK PACKAGES

WP1 Design modifications

WP2 Retrofit DORA

WP3 Pilot campaigns

WP4 Upscaling





4 WORK PACKAGES

WP1 Design modifications

WP2 Retrofit DORA

WP3 Pilot campaigns

WP4 Upscaling

TRL4

TRL6

Tested with artificial flue gas


Tested with real flue gas Long term effects measured

8 | DORA @ Plant One 04 December 2018





Baseline campaign




9 | DORA @ Plant One 04 December 2018





WP3 - CAMPAIGNS CO2-depleted gas

DORA Scavenger mode campaign




10 | DORA @ Plant One

04 December 2018





DORA
Gas mode
campaign




11 | DORA @ Plant One

04 December 2018








Total time = 7 months







13 | DORA @ Plant One

04 December 2018

